

1 PRODUCT AND COMPANY IDENTIFICATION

Product Name: Air Tool Lubricant
Revision Date: 18/02/2010
MSDS Number: ATL
Product Code: 16-ATL & 5-ATL

Distributor: **The Blaster Group Pty Ltd**
Unit 30, 8 Victoria Avenue
Castle Hill NSW 2174
Emergency Phone: 02 9894 7360
Customer Service: 02 9894 7360

24 HR EMERGENCY TELEPHONE NUMBER: POISONS INFORMATION CENTRE
Phone: **13 11 26**

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients: Cas #	Chemical Name	Perc.
64742650	Distillates, petroleum, solvent- dewaxed	>90

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes, skin, inhalation, ingestion

Target Organs:

Inhalation: Inhalation of spray mist may cause irritation to the respiratory tract.

Skin Contact: Repeated or prolonged contact with skin may cause mild irritation and possibly dermatitis.

Eye Contact: Likely to cause immediate or delayed irritation. Irritation will show as redness and/or swelling of the eyes.

Ingestion: Low toxicity. Will have a laxative effect if swallowed.

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Continue to monitor. Get medical attention.

Skin Contact: Remove contaminated clothing immediately! Wash skin with soap and water. If irritation develops, seek medical attention.

Eye Contact: Flush eye(s) with water for 15 minutes. Get medical attention. If eye irritation persists, obtain medical treatment.

Ingestion: Do not induce vomiting. Get medical attention or advice.

HAZARDOUS ACCORDING TO WORKSAFE AUSTRALIA

5 FIRE FIGHTING MEASURES

Flashpoint: >200° C (COC)

Autoignition temperature: >315° C

Extinguishing Media: Dry chemical. Carbon dioxide, water fog or foam.

6 ACCIDENTAL RELEASE MEASURES

Small Spill: Absorb the liquid and scrub the area with detergent and water.

Large Spill: Avoid vapours, sources of ignition, sewers and waterways. Absorb with suitable absorbent.

Disposal: Dispose of liquid and absorbents in accordance with local, state, and federal laws.

7 HANDLING AND STORAGE

Handling Precautions: Use in accordance with good industrial workplace practices. Avoid unnecessary contact. Wash thoroughly after handling. Use with good ventilation.

Storage Requirements: Keep containers tightly closed and in a cool well-ventilated place. Always store this material in closed labelled containers. Store away from strong oxidizers.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Eye wash stations and emergency showers should be immediately available.

Protective Equipment:

Eyes and Face: Standard safety glasses with splash shields typically offer adequate protection. Where excessive splashing or spraying is possible, a face shield should be used.

Skin and clothing: Excessive contact should be avoided. Neoprene gloves, boots and aprons will provide adequate protection when contact cannot be avoided. Remove and wash any contaminated clothing immediately. Wash thoroughly after handling.

Respiratory: Good general ventilation should be sufficient to control airborne levels. Maintain airborne concentrations below OSHA established exposure limits of ingredients in Section 2.

Exposure Guidelines/Other:

The BLASTER GROUP PTY LTD takes no responsibility for determining what measures are required for personal protection in any specific application. This information should be used with discretion.

HAZARDOUS ACCORDING TO WORKSAFE AUSTRALIA

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Oily	Boiling Point:	21 ⁰ - 30 ⁰ C
Physical State:	Liquid	Freezing/Melting Pt.:	Not Determined
Odour:	Typical petroleum	Solubility:	Nil
pH:	Not Determined	Spec Grav./Density:	0.86 (water = 1)
Vapour Pressure:	Not applicable		
Vapour Density:	>1 (air = 1)		
Heat Value:	Not Determined		
VOC:	Not Determined		
Evap. Rate:	<1 (butyl acetate = 1)		
Bulk Density:	Not Determined		
Octanol:	Not applicable		
Molecular Weight:	Not Determined		
Particle Size:	Not applicable		
Softening Point:	Not applicable		
Viscosity:	100 SUS		
Percent Volatile:	Nil		
Sat. Vap. Concentrat.:	Not Determined		
Molecular Formula:	Not Determined		

10 STABILITY AND REACTIVITY

Stability:	This product is stable.
Conditions to avoid:	Avoid excessive heat, sources of ignition and excessive water.
Materials to avoid (incompatibility):	Avoid contact with strong oxidizing agents and strong reducing agents (strong acids or bases.) Avoid mixture with water.
Hazardous Decomposition products:	Carbon monoxide, carbon dioxide, and various hydrocarbons.
Hazardous Polymerization:	Will not occur.

11 TOXICOLOGICAL INFORMATION

Toxicological information on this product as a mixture has not been determined. See section 15 for reportable ingredients.

12 ECOLOGICAL INFORMATION

Ecological information on this product as a mixture has not been determined.

13 DISPOSAL CONSIDERATIONS

Used or unused product should be disposed of in accordance with local, state, and federal regulations. Some special regulations may exist for the disposal of empty aerosol containers.

Empty containers may contain residual pressure and contents. They should be handled with the same precautions as the product.

HAZARDOUS ACCORDING TO WORKSAFE AUSTRALIA

14 TRANSPORT INFORMATION

Not regulated as a hazardous material.

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Dipropylene glycol methyl ether (34590948 <5%) MASS, OSHAWAC, PA, TXAIR

REGULATORY KEY DESCRIPTIONS

MASS = MA Massachusetts Hazardous Substances List
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level

16 OTHER INFORMATION

Manufacturer's Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither The Blaster Group Pty Ltd nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.

END OF MSDS DOCUMENT